

Initial Certification: 28 February 2023
Valid to: 27 February 2028

Revised: 23 March 2026
Issue No: 3

Issued by **IFC Certification Ltd** part of the Kiwa UK Group

This is to certify that

M.S. Woodline Construction Ltd

Industrial Area Anatoliko,
Ayia Barbara
Paphos
Cyprus
Tel. 0035770003079

Who fabricate the following timber fire doors and or doorsets:

Halspan EI30, Halspan EI60
Strebord EI30, Strebord EI60

has satisfied the requirements of the SDP 01 Timber Fire Door scheme v3.9. This includes the testing of products to **BS EN1634-1:2014+A1:2018** the inspection of Factory Production Control and continuing surveillance audits and testing of samples of products taken from production. The product specification and field of application to achieve from **30 minutes to 60 minutes integrity & insulation** are detailed on page 2 of this certificate.



David Mowatt
Head of IFC Certification /
Kiwa UK

This certificate consists of 2 pages. Publication of this certificate is permitted



Certificate is only valid if verified on the website.
Check the validity of this certificate by scanning this
QR Code or visiting www.ifccertification.com/search/

KIWA
IFC Certification Ltd
Ground Floor, Suite A
Building 2,
Bear Brook Office Park
Walton Street, Aylesbury,
Bucks, HP21 7GQ

The production of fire-resistant timber doorsets are manufactured in accordance with the assessment/ test reports referenced within the following table:

Product Description	Fire Rating	Assessment/ Test Report
Halspan 30	30 minutes	01509289SHJ-001 Rev 01
Halspan 60	60 minutes	01509289SHJ-002 Rev 01
Strebord 44	30 minutes	BMT/CNA/F14053
Strebord 54	60 minutes	BMT/CNA/F14054

Signed on behalf of Kiwa UK



David Mowatt
Head of IFC Certification /
Kiwa UK

The scope of the certification is limited to the details and parameters contained within these reports and all aspects of the specification and limitations defined therein must be satisfied.

It is the certificate holder's responsibility to ensure that the latest version/ revision of the above assessment reports are maintained as part of the audited FPC system.

Failure to comply with all specifications will invalidate the certification and may jeopardise the fire performance.