

Initial Certification: 28 February 2023
Valid to: 27 February 2028

Revised: 23 March 2026
Issue No: 3

Issued by **IFC Certification Ltd** part of the Kiwa UK Group

This is to certify that

M.S. Woodline Construction Ltd

Industrial Area Anatoliko,
Ayia Barbara
Paphos
Cyprus
Tel. 0035770003079

Who fabricate timber fire resisting elements with the following glasses:

7mm Pyroguard EW30
11mm Pyroguard Maxi EW30 & EW60

has satisfied the requirements of the Glazing Scheme SDP 09 v1.2. This includes the testing of products to **BS476: Part 22: 1987, BS EN1363-1: 2020 or BS EN 1364-1: 2015**, as appropriate, the inspection of Factory Production Control and continuing surveillance audits and testing of samples of products taken from production. The product specifications and fields of application to achieve from **30 mins to 60 mins integrity** are detailed on page 2 of this certificate. As this certificate invokes CF257 it cannot remain valid after the expiry date of CF257.



David Mowatt
Head of IFC Certification /
Kiwa UK

This certificate consists of 2 pages. Publication of this certificate is permitted



Certificate is only valid if verified on the website.
Check the validity of this certificate by scanning this
QR Code or visiting www.ifccertification.com/search/

KIWA
IFC Certification Ltd
Ground Floor, Suite A
Building 2,
Bear Brook Office Park
Walton Street, Aylesbury,
Bucks, HP21 7GQ

Certificate Number: IFCC 1814 issue 3

The production of fire-resistant glazed screens are manufactured in accordance with the assessment/ test reports referenced within the following table:

Product Description	Fire Rating	Assessment/ Test Report
CGI Pyroguard	30 & 60 minutes	CF257 valid to 19 February 2031

Signed on behalf of Kiwa UK



David Mowatt
Head of IFC Certification /
Kiwa UK

The scope of the certification is limited to the details and parameters contained within these reports and all aspects of the specification and limitations defined therein must be satisfied.

It is the certificate holder's responsibility to ensure that the latest version/ revision of the above assessment reports are maintained as part of the audited FPC system.

Failure to comply with all specifications will invalidate the certification and may jeopardise the fire performance.